```
ISIS4804.ST25.txt
                           SEQUENCE LISTING
   <110>
         Manoharan, Muthiah
   <120>
         Nuclease Resistant Chimeric Oligonucleotides
   <130>
          SIS-4804
   <160>
          55
   <170>
         PatentIn version 3.1
   <210>
   <211>
<211>
<212>
<213>
         20
         DNA
         Artificia \ Sequence
   ≰220>
   223>
         Novel Sequence
   <220>
   <221> misc_feature
   <222>
         (1)...(20)
   <223> All P=S
√ <220>
T1
<220>
<220/
<221> misc_feature
[] <222>
         (20) ... (20)
_{*} <223> N= L-Thymidine
1...
ngcatcccc aggccaccan
                                                                      20
1
<210>
         2
<211>
<212>
        17
        DNA
  <213> Artificial Sequence
  <220>
  <223> Novel Sequence
  <220>
  <221> misc_feature
  <222>
        (1)...(17)
  <223> All P=S
  <220>
  <221> misc_feature
  <222> (1)..(1)
  <223> N= L-Thymidine
  <220>
  <221> misc_feature
  <222> (2)..(3)
                                            Page 1
```

17

```
<223> N= 2'-O-MOE 5meC
   <220>
  <221> misc_feature
<222> (15)..(15)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (17)..(17)
   <223> N= L-Thymidine
   <400> 2
   nnncgctgtg atgcnnn
<210> 3
<211> 20
(212> DNA
<213> Artificial Sequence
☼ <220>
TJ <223> Novel Sequence
<220>
<221> misc_feature
<sub>₹</sub> <222>
          (1)...(20)
<223> All P=S
<u></u>₽₽
[] <220>
. des die
   <220>
   <221> misc feature
   <222> (2)..(3)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (13)..(14)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature <222> (15)..(15)
    <223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
```

Page. 2

```
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC
  <220>
  <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE A
  <220>
  <221> misc_feature
  <222> (18)..(19)
<223> N= 2'-O-MOE G
  <220>
  <221> misc_feature
<222> (20)..(20)
  <223> N= L-Thymidine
   <400> 3
                                                                                    20
  nnngtcatcg ctnnnnnnn
<210> 4
<211> 20
<212> DNA
<u>C</u>1
<220>
   <223> Novel Sequence
u T
门。<220>
<400> 4
                                                                                     20
   tgcatccccc aggccaccat
D
    <210> 5
    <211> 20
    <212> DNA
    <213> Artificial Sequence
    <220>
    <223> Novel Sequence
    <220>
    <221> misc_feature
<222> (1)..(20)
<223> A11 P=S
    <220>
    <221> misc_feature
    <222> (1)..(1)
<223> N= L-Thymidine
```

<220>

```
<221> misc_feature
   <222> (20)..(20)
   <223> N= L-Thymidine
   <400> 5
                                                                           20
   ngcatcccc aggccaccan
   <210> 6
   <211> 17
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
<222> (1)..(17)
   <223> A11 P=S
   <400> 6
                                                                           17
   tcccgctgtg atgcatt
ų.
<210> 7
  <211> 17
<212> DNA
1 <213> Artificial Sequence
Ħ
   <220>
ű
  <123> Novel Sequence
T.
   <220>
7
== <223> All P=S
F
[] <220>
<223> N= L-Thymidine
   <220>
   <221> misc_feature
   <222> (2)..(3)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (15)..(15)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
```

17

```
<220>
    <221> misc_feature
    <222> (17)..(17)
<223> N= L-Thymidine
   <400> 7
   nnncgctgtg atgcnnn
   <210> 8
   <211> 20
   <212> DNA
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature <222> (1)..(20)
   <223> All P=S
[] <220>
<221> misc_feature
<222> (1)..(1)
| <223> N= L-Cytidine
ű
<220>
## (221) misc_feature
(222) (3)..(3)
(223) N= 2'-O-MOE A
[] <220>
# <221> misc_feature
  <222>
          (4)...(4)
   <223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
  <222> (5)..(5)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
  <222> (16)..(16)
<223> N= 2'-O-MOE 5meU
   <220>
  <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC
```

20

```
<220>
  <221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G
  <220>
  <221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (20)..(20)
   <223> N= 2'-O-MOE 5meC
   <400> 8
   nnnnnttcca cactcnnnnn
<210> 9
  <211> 20
2112> DNA
</
V.
  <220>
<2207
<223> Novel Sequence
ħJ
<220>
# <223> All P=S
14
<sup>1</sup>= 4 <220>
[] <221> misc_feature
1 i
   <220>
   <221> misc_feature
  <222> (2)..(2)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (3)..(3)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature <222> (4)..(4)
   <223> N= 2'-O-MOE G
   <220>
   <221> misc_feature <222> (5)..(5)
   <223> N= 2'-O-MOE A
```

```
<220>
    <221> misc_feature
    <222> (16)..(16)
    <223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
    <222> (17)..(17)
<223> N= 2'-O-MOE 5meC
    <220>
   <221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G
    <220>
   <221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU
O
√ <220>
 <221> misc_feature
   <222> (20)..(20)
ű
   <223> N= L-Cytidine
U
fi.j
   <400> 9
u]
                                                                                        20
   nnnnnttcca cactcnnnnn
ħJ
<210> 10
   <211> 20
<212> DNA
[ <213> Artificial Sequence
H
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
<222> (1)..(20)
<223> All P=S
    <220>
    <221> misc_feature
    <222> (1)..(1)
    <223> N= L-Cytidine
    <220>
    <221> misc_feature
    <222> (2)..(2)
<223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
    <222> (3)..(3)
```

```
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
   <222> (4)..(4)
<223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
   <222> (5)..(5)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
    <220>
   <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC
Ţ
<220>
   <221> misc_feature
<221 (18)..(18) <222> (18)..(18)
1 <223> N= 2'-O-MOE G
T.
<sup>‡</sup> <220>
// <221> misc_feature
1
刑 <220>
222> \(\frac{20}{120}\)...\(\frac{20}{120}\)
$\text{$N=$ L-Cytidine}$
. 44
    <400> 10
                                                                                             20
    nnnnnttcca cactcnnnnn
    <210> 11
    <211> 20
<212> DNA
<213> Artificial Sequence
    <220>
    <223> Novel Sequence
    <220>
     <221> misc_feature
    <222> (1)..(20)
<223> All P=S
     <220>
     <221> misc_feature
```

```
<222> (10)..(10)
    <223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G
    <220>
    <221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
<222> (16)..(16)

<223> N= 2'-O-MOE 5meC
ų"
<220>
[] <222> (17)..(18)
[] <223> N= 2'-O-MOE 5meU
ĮĮ.
[] <220>
# <221> misc_feature
    <222> (19)..(19)

## <223> N= 2'-O-MOE 5meC
ļ.
1 <220>
2 <221> misc_feature
1 <222> (20)..(20)
1 <223> N= L-Adenosine
    <400> 11
    ccggtacccn nnnntnnnnn
                                                                                                              20
    <210> 12
<211> 20
<212> DNA
    <213> Artificial Sequence
    <220>
    <223> Novel Sequence
    <220>
    <221> misc_feature
<222> (1)..(20)
<223> All P=S
    <220>
```

```
<221> misc_feature
    <222> (1)..(1)
    <223> N= L-Cytidine
    <220>
    <221> misc_feature
   <222> (10)..(10)
<223> N= 2'-O-MOE 5meC
   <220>
    <221> misc_feature
   <222> (11)..(11)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G
1 <220>
4] <221> misc_feature
(14)..(14)
   <223> N= 2'-O-MOE 5meU
4
Ħ
[] <220>
Ŧ
* <220>
* <221> misc_feature
   <222> (17)..(18)
<223> N= 2'-O-MOE 5meU
[] <222>
Ü
IJ
基 <220>
   <221> misc_feature
<222> (19)..(19)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (20)..(20)
<223> N= L-Adenosine
   <400> 12
   ncggtacccn nnnntnnnnn
                                                                                     20
   <210> 13
   <211> 20
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
```

```
<220>
   <221> misc_feature
   <222> (1)..(20)
   <223> All P=S
   <220>
   <221> misc_feature
   <222> (9)..(9)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (10)..(10)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE 5meC
[] <220>
4 <221> misc_feature
<222> (12)..(12)
[]
[] <220>
<400> 13
tagattenn nnetetegtn
                                                                               20
IJ
(210> 14
20
<211> 20
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
  <221> misc_feature
<222> (1)..(20)
<223> A11 P=S
   <220>
   <221> misc_feature
   <222> (1)..(1)
<223> N= L-Cytidine
   <220>
   <221> misc_feature
   <222> (9)..(9)
<223> N= 2'-O-MOE 5meC
```

20

```
<220>
    <221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
    <222> (12)..(12)
    <223> N= 2'-O-MOE A
    <400> 14
    ntagattcnn nnctctcgtc
    <210> 15
 <211> 20
<212> DNA
 4 <213> Artificial Sequence
 ų)

<220>

<223> Novel Sequence
 T1
 fj <220>
 <221> misc_feature
<222> (1)..(20)
 (1) <223> A11 P=S
ļub <220>
 <223> N= L-Cytidine
 <u>|</u>| <220>
    <221> misc_feature
    <222> (9)..(9)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
    <222> (10)..(10)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature <222> (12)..(12)
```

<223> N= 2'-O-MOE A

```
<220>
  <221> misc_feature
   <222> (20)..(20)
   <223> N= L-Cytidine
  <400> 15
                                                                   20
  ntagattcnn nnctctcgtn
  <210> 16
<211> 20
   <212> DNA
   <213> Artificial Sequence
   <220>
  <223> Novel Sequence
  <220>
  <221> misc_feature
  <222> (1). (20)
<223> All P=S
√ <220>
[7
Nj
  <220>
[] <222> (2)..(2)
ļ.
* <220>
# <221> misc_feature
]
  <220>
   <221> misc_feature
  <222> (4)..(4)
<223> N= 2'-O-MOE G
   <220>
  <221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
   <222> (16) ... (16)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
```

<222> (17)..(17)

20

```
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (18)..(18)
   <223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
   <222> (19)..(19)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (20)..(20)
<223> N= 2, 3'-Dideoxycytidine
   <400> 16
   nnnnnttcca cactcnnnnn
Q <210> 17
| <211> 20
47
[1 <220>
Novel Sequence
<220>
 <221> misc_feature
   <222> (1)..(20)
$
  <223> A11 P=S
<u></u>∔∔
[] <220>
h
   <220>
   <221> misc_feature
   <222> (11)..(11)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
```

Page 14

```
<222> (16)..(16)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (17)...(18)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (20)..(20)
<223> N= 2',-3'-Dideoxyadenosine
   <400> 17
   ccggtacccn nnnntnnnnn
                                                                                 20
<210> 18
 <211> 20
  <212> DNA
<213> Artificial Sequence
D
[] <220>
<223> Novel Sequence
[] <220>
$ <221> misc_feature
## <222> (1)..(20)

## <223> All P=S
TJ
-[] <220>
<220>
   <221> misc_feature
   <222> (2)..(2)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (3)...(3)
   <223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
  <222> (4)..(4)
<223> N= 2'-O-MOE G
```

Page 15

<220>

```
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A
   <220>
    <221> misc_feature
   <222> (16)..(16)
<223> N= 2'-O-MOE 5meU
    <220>
   <221> misc_feature
   <222> (17)..(17)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G
[] <220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU
IJ.
<220>
1 <221> misc_feature
(20) ... (20)
N=2'-3'-Didehydro-2', 3'-dideoyxcytidine
ï
<400> 18
nnnnttcca cactcnnnn
                                                                                        20
ħJ
[] <210> 19
<211> 20
   <212> DNA
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (1)..(20)
<223> All P=S
   <220>
   <221> misc_feature
   <222> (10)..(10)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A
```

```
<220>
   <221> misc_feature
   <222> (12)..(13)
<223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
<222> (14)..(15)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   \langle 222 \rangle (16)...(16)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (17)..(18)
<223> N= 2'-O-MOE 5meU
<220> <221> misc_feature
Ü
[] <220>
7
f <400> 19
f ccggtacccn nnnnnnnnn
                                                                               20
j. i.
[] <212> DNA
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (1)..(20)
<223> All P=S
   <220>
   <221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (2)..(2)
   <223> N= 2'-O-MOE 5meU
```

```
<220>
    <221> misc_feature
    <222> (3)..(3)
    <223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
    <222> (4)..(4)
<223> N= 2'-O-MOE G
    <220>
    <221> misc_feature
    <222> (5)..(5)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature <222> (16)..(16)
    <223> N= 2'-O-MOE 5meU
 7 <220>
 221> misc_feature

222> (17)..(17)

223> N= 2'-O-MOE 5meC
 J.
 Ti.
 | <223> N= 2'-O-MOE G
 F <220>
 # <221> misc_feature
7
Fig <222> (19)..(19)
12 <223> N= 2'-O-MOE 5meU
U
D
<220>
    <221> misc_feature
<222> (20)..(20)
<223> N= 2'-3'-Dideoxy-3'-fluorocytidine
    <400> 20
                                                                                        20
    nnnnnttcca cactcnnnnn
    <210> 21
<211> 20
<212> DNA
    <213> Artificial Sequence
    <220>
    <223> Novel Sequence
    <220>
    <221> misc feature
    <222> (1)..(20)
<223> All P=S
```

```
<220>
    <221> misc_feature
    <222> (1)..(1)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature <222> (2)..(2)
    <223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
    <222> (3)..(3)
    <223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
    <222> (4)..(4)
<223> N= 2'-O-MOE G
ų)
    <220>
 <221> misc_feature
   <222> (5)..(5)
<223> N= 2'-O-MOE A
∰ <222>
F
U)
   <220>
   <221> misc_feature <222> (16)..(16)
\Pi_{i}
*
    <223> N= 2'-O-MOE 5meU
1
je de
    <220>
<220/
(221> misc_feature)
(222>
            (17) ... (17)
    <223> N= 2'-O-MOE 5meC
IJ
<u>ļ</u>.
    <220>
    <221> misc_feature
    <222>
    <222> (18)..(18)
<223> N= 2'-O-MOE G
    <220>
    <221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
<222> (20)..(20)
    <223> N= 3'-Deoxy-2'-O-[2-(methoxy)ethyl]-5-methylcytidine
    <400> 21
    nnnnnttcca cactcnnnnn
```

```
<210>
            22
     <211>
            20
    <212> DNA
    <213>
            Artificial Sequence
    <220>
           Novel Sequence
    <223>
    <220>
    <221> misc_feature <222> (1)..(20)
    <223> All P=S
    <220>
    <221> misc_feature
    <222> (1)..(1)
    <223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
   <222> (2)..(2)
<223> N= 2'-O-MOE 5meU
    <222>
¥3
<220>
T.J
<220>
j.i.
[] <220>
<221>
<222>
          misc_feature
          (5)..(5)
<222> N= 2'-O-MOE A
<u>ļ.</u>
  <220>
  <221> misc_feature
  <222> (16)..(16)
<223> N= 2'-O-MOE 5meU
  <220>
  <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC
  <220>
  <221> misc_feature
<222> (18)..(18)
  <223> N= 2'-O-MOE G
  <220>
  <221> misc_feature
```



20

```
(19)
O-MOE 5meU
eature
(20)
ydroxy-2-pyrrolidinemethanol
ctcnnnnn
cial Sequence
Sequence
eature
21)
     T.I
S
eature 1
1)
ydrox 7 12-pyrrolidinemethanol
     N
eature
2)
O-MOE 5meG
3)
O-MOE 5meU
eature
4)
O-MOE A
eature
5)
O-MOE G
```

feature
6)
-O-MOE A

```
<220>
   <221> misc_feature
   <222> (14)..(15)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc feature
   <222> (16)..(16)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (17)..(18)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature <222> (19)..(19)
   <223> N= 2'-O-MOE 5meC
<220>
          misc_feature
   <221>
<222>
          (21) ... (21)
< <223> N= 3-hydroxy-2-pyrrolidinemethano1
1
<400> 24
                                                                                21
🔝 ccggtacccn nnnnnnnnna n
ű
<210> 25
   <211> 22
1. <212> DNA
   <213> Artificial Sequence
ļ. h
TJ <220>
  <223> Novel Sequence
Ü
  <220>
<u>.</u>
  <221> misc_feature
   <222>
          (1)...(22)
   <223> All P=S
   <220>
   <221> misc_feature <222> (1)..(1)
   <223> N= 3-hydroxy-2-pyrrolidinemethanol
   <220>
   <221> misc_feature
    <222> (11)..(11)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
   <222> (12)..(12)
<223> N= 2'-O-MOE A
```

```
<220>
   <221> misc_feature
<222> (13)..(14)
<223> N= 2'-O-MOE G
   <220>
   <221> misc feature
   <222> (15)..(16)
<223> N= 2'-O-MOE 5 meU
   <220>
   <221> misc_feature 
<222> (17)..(17)
   <223> N= 2'-O-MOE 5 meC
   <220>
   <221> misc_feature
   <222> (18)..(19)
<223> N= 2'-O-MOE 5 meU
222> (20)..(20)
2 <223> N= 2'-O-MOE 5 meC
ij1
<220>
222> (22)..(22)
| (223> N= 3-hydroxy-2-pyrrolidinemethanol
11
<400> 25
                                                                                        22
   nccggtaccc nnnnnnnnn an
Ħ.J
Ð
   <210> 26
<211> 20
== <212> DNA
    <213> Artificial Sequence
    <220>
   <223> Novel Sequence
    <220>
    <221> misc_feature
           (1)..(20)
    <222>
    <223> All P=S
    <220>
    <221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
    <222> (2)..(2)
<223> N= 2'-O-MOE 5meU
```

```
<220>
   <221> misc_feature
   <222>
          (3)..(3)
   <223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
   <222> (4)..(4)
<223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A
   <220>
   <221> misc_feature
   <222>
          (16)..(16)
   <223> N= 2'-O-MOE 5meU
ű
ul
   <220>
[] <222> (17)..(17)
   <223> N= 2'-O-MOE 5meC
ΠJ
45
71
   <220>
   <221> misc_feature
Ŧ
   <222>
          (18)...(18)
1.2
   <223> N= 2'-O-MOE G
14
ħJ
   <220>
<221> misc_feature
  <222> (19)..(19)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222>
          (20)..(20)
   <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-
           (hydroxymethy1) ethoxy] ethylcytosine
   <400> 26
                                                                              20
   nnnnnttcca cactcnnnnn
   <210> 27
   <211> 20
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
```

```
<222> (1)..(20)
    <223> A11 P=S
    <220>
    <221>
            misc_feature
   <222> (1)..(1)
<223> N= 1-[2-hydroxy-1-[2-hydroxy-1-
            (hydroxymethy1)ethoxy]ethylcytosine
    <220>
   <221>
            misc_feature
   <222>
            (2)...(2)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222>
           (3)..(3)
   <223> N= 2'-O-MOE A
   <220>
           misc_feature
[] <221>
   <222> (4)..(4)
<223> N= 2'-O-MOE G
IJ.
u]
ű)
   <220>
n
           misc_feature
(5)..(5)
   <221>
   <222>
          N= 2'-O-MOE A
<223>
N
₹
   <220>
   <221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
<220>
<221>
           misc_feature
   <222>
           (17) ... (17)
   <223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
           (18)..(18)
N= 2'-O-MOE G
   <222>
   <223>
   <220>
   <221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU
   <220>
           misc_feature (20)..(20)
   <221>
   <222>
   <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-
            (hydroxymethy1)ethoxy]ethy1cytosine
```

20

```
<400> 27
  nnnnnttcca cactcnnnnn
  <210> 28
<211> 20
<212> DNA
  <213> Artificial Sequence
  <220>
  <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (1)..(20)
<223> All P=S
   <220>
   <221> misc_feature
   <222>
          (1)...(1)
   <223> N= 2'-O-MOE 5meC
T1
TJ <220>
j.
misc_feature
   <221>
(4)..(4)
(222> (4)..(4)
(223> N= 2'-O-MOE G
D
<sup>1</sup> √220>
    <221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
    <220>
     <221> misc_feature
     <222> (17)..(17)
     <223> N= 2'-O-MOE 5meC
     <220>
    <221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G
```

Page 27

20

```
<220>
  <221> misc_feature
  \langle 222 \rangle (19)...(19)
   <223> N= 2'-O-MOE 5meU
  <220>
   <221> misc_feature
          (20)..(20)
   <222>
   <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-
           (hydroxymethyl) ethoxy] ethylcytosine
   <400> 28
   nnnnnttcca cactcnnnnn
           29
   <210>
   <211>
           20
   <212>
          DNA
   <213> Artificial Sequence
[] <220>
   <223> Novel Sequence
ų l
₫ <220>
   <221> misc_feature <222> (1)..(20)
ŲÌ.
Ø1
   <223> All P=S
ħJ
IJ.
   <220>
T.
           misc_feature
   <221>
           (1) ... (1)
   <222>
Ŧ
          N= 1-[2-hydroxy-1-[2-hydroxy-1-
   <223>
(hydroxymethyl) ethoxy] ethylcytosine
1. L
T
   <220>
Ü
   <221>
          misc_feature
           (2)..(2)
N= 2'-O-MOE 5meU
   <222>
}≟ <223>
   <220>
   <221>
           misc_feature
   <222> (3)..(3)
<223> N= 2'-O-MOE A
    <220>
           misc_feature
    <221>
           (4)...(4)
    <222>
    <223> N= 2'-0-MOE G
    <220>
    <221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A
    <220>
```

```
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (18)..(18)
   <223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
   <222> (19)..(19)
<223> N= 2'-O-MOE 5meU
   <220>
<221> misc_feature
(hydroxymethy1)ethoxy]ethy1cytosine
Ø
400> 29
nnnnnttcca cactcnnnnn
                                                                                     20
J
N
   <210> 30
12 <213> Artificial Sequence
1 <220>
1 <223> Novel Sequence
<220>
   <221> misc_feature
   <222> (1)..(20)
<223> All P=S
   <220>
   <221> misc_feature
   <222> (1)..(1)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature <222> (2)..(2)
   <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   \langle 222 \rangle (3)...(3)
   <223> N= 2'-O-MOE A
```

```
<220>
    <221>
          misc_feature
    <222> (4)..(4)
    <223> N= 2'-O-MOE G
    <220>
    <221> misc_feature
    <222>
          (5)..(5)
    <223> N= 2'-O-MOE A
    <220>
    <221>
          misc_feature
    <222>
    <222> (16)..(16)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
   <222> (17)..(17)
<223> N= 2'-O-MOE 5meC
   <220>
   <221> misc_feature
<222> (18)..(18)
<222>
   <223> N= 2'-O-MOE G
ű
[] <220>
   <221> misc_feature
Ü
   <222>
          (19)...(19)
   <223> N= 2'-O-MOE 5meU
<220>

<220>
misc_feature

<222>
          (20) . . (20)
<223> N= 2',3'-dideoxy-3'-(amino)cytidine
400> 30
   nnnnnttcca cactcnnnnn
                                                                             20
   <210> 31
   <211> 20
   <212>
          DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (1)..(20)
   <223> A11 P=S
   <220>
   <221> misc_feature
  <222> (1)..(1)
<223> N= 2'-O-MOE 5meC
```

```
<220>
            misc_feature
    <221>
    <222>
            (2)..(2)
    <223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature
    <222> (3)..(3)
<223> N= 2'-O-MOE A
    <220>
    <221> misc_feature
    <222> (4)..(4)
<223> N= 2'-O-MOE G
    <220>
    <221>
           misc_feature
    <222>
            (5)..(5)
    <223> N= 2'-O-MOE A
 Į,
    <220>
 € <221>
           misc_feature (16)..(16)
 <222>
    <223> N= 2'-O-MOE 5meU
 n
Ting.
ű
   <220>
    <221> misc_feature
    <222>
           (17)...(17)
#
    <223> N= 2'-O-MOE 5meC
1.
ļ.
   <220>
11 <221> misc feature
4] <222>
    <222> (18)..(18)
<223> N= 2'-O-MOE G
Ü
ļ.
    <220>
    <221> misc_feature
    <222> (19)..(19)
<223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature 
<222> (20)..(20)
    <223> N= 2'-deoxy-3'-S-phenyl-3'-thiocytidine
    <400> 31
    nnnnnttcca cactcnnnnn
                                                                                   20
   <210>
           32
   <211>
           20
    <212> DNA
    <213> Artificial Sequence
```

```
<220>
    <223> Novel Sequence
    <220>
    <221> misc_feature
    <222> (1)..(20)
    <223> A11 P=S
    <220>
    <221> misc_feature
    <222> (1)..(1)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
    <222> (2)..(2)
<223> N= 2'-O-MOE 5meU
    <220>
    <221> misc_feature <222> (3)..(3)
## <223> N= 2'-O-MOE A
L.
₫ <220>
<= <221> misc_feature
   <222>
           (4)...(4)
    <223> N= 2'-O-MOE G
# 1
1
   <220>
    <221> misc_feature
≆
    <222>
           (5)...(5)
== <223> N= 2'-O-MOE A
| |
<220>
<221> misc_feature
    <222> (16)..(16)
<223> N= 2'-O-MOE 5meU
   <222>
1
    <220>
   <221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC
    <220>
    <221> misc_feature
    <222>
           (18)^{-}. (18)
    <223> N= 2'-O-MOE G
    <220>
    <221> misc_feature
    <222> (19)...(19)
    <223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature
```

```
ISIS4804.ST25.txt

<222> (20)..(20)

<223> N= 3'-deoxy-2'-S-pheny1-2'-thiocytidine

<400> 32
nnnnnttcca cactcnnnnn

<210> 33

<211> 20

<212> DNA

<213> Artificial Sequence

<220>
<223> Novel Sequence
```

20

<221> misc_feature

<220>

* <220>
* <221> misc_feature
* <222> (3)..(3)
* <223> N= 2'-O-MOE A

220>
221> misc_feature
222> (4).(4)
223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature

<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>

```
ISIS4804.ST25.txt
   <221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G
   <220>
   <221> misc_feature
   <222> (19)..(19)
<223> N= 2'-O-MOE 5meU
   <220>
   <221> misc_feature <222> (20)..(20)
   \langle 223 \rangle N= 1[2,3-deoxy-2-N-morpholino
           -B-D-gylcero-pent-2-enofuranosyl]
           cytosine
   <400> 33
   nnnnttcca cactcnnnnn
                                                                                   20
   <210>
           34
<211> 10
   <212>
          DNA
<212> Artificial Sequence
V.
(220>
   <223> Novel Sequence
TJ <220>
<221>
          misc_feature
<222>
<223>
           (5)...(5)
          2'-O-hexylguanidinyl-U 5me
h
   <400> 34
jad.
   ttttntttt
                                                                                  10
T.
   <210> 35
   <211>
          10
# <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (5)..(5)
<223> N= 2'-deoxy-G-clamp
   <400> 35
   tctcnctctc
                                                                                  10
   <210> 36
   <211>
          10
   <212>
          DNA
   <213> Artificial Sequence
```

Page 34

<220>

```
<223> Novel Sequence
   <220>
   <221> misc_feature
          (5)...(5)
   <222>
   <223> N= 2'-deoxy-guanidiny1 G-clamp
   <400> 36
                                                                           10
   tctcnctctc
   <210>
          37
   <211>
          18
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc feature
   <222> (9)..(9)
<223> N= 2'-deoxy-guanidinyl G- clamp
C
   <400> 37
ctcgtaccnt cccggtcc
                                                                           18
u)
   <210> 38
<211>
          10
   <212>
          DNA
Q.
   <213> Artificial Sequence
ħJ
華
   <220>
> Novel Sequence
].
   <220>
   <221> misc_feature
  <222> (2)..(2)
   <223> N= 2'-deoxy-guanidino G-clamp
ļ
   <220>
   <221> misc_feature
   <222> (6)..(6)
<223> N= 2'-MOE-U 5me
   <400> 38
                                                                           10
   gngtanacgc
   <210> 39
   <211> 10
   <212> DNA
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
    <220>
    <221> misc_feature
    <222> (6)..(6)
```

ISIS4804.ST25.txt <223> N= 2'-MOE- U 5me <220> <221> misc_feature <222> (8)..(8) <223> N= 2'-deoxy-guanidino G-clamp <400> 39 gcgtanangc <210> 40 <211> 15 <212> DNA <213> Artificial Sequence <220> <223> Novel Sequence <400> 40 aaaaagagag ggaga <210> 41 <211> 10 4 <212> DNA <213> Artificial Sequence **4** <220> T <223> Novel Sequence <220> <221> misc_feature <222> (2)...(2)1 <223> N= guanidino G-clamp **1** <220> <221> misc_feature <222> (6)...(6)

<400> 41 gngtanacgc

1

Ü

#

1-4

1

<210> 42 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Novel Sequence <220> <221> misc_feature <222> (1)..(20) <223> All P=S <400> 42

atgcattctg cccccaagga

<223> N= 2'-O-methoxyethy1 thymine

20

10

10

15

```
<210> 43
    <211> 20
    <212>
          DNA
    <213> Artificial Sequence
    <220>
    <223> Novel Sequence
    <220>
    <221> misc_feature
    <222> (1)..(20)
    <223> All P=S
   <220>
   <221> misc_feature
   <222> (4)..(4)
<223> N= G-clamp modification
   <400> 43
   atgnattctg ccccaagga
                                                                      20
[] <210> 44
 <211> 20
<212> DNA
4 <213> Artificial Sequence
 ų]
 <220>
   <223> Novel Sequence
 Ŋ
 <220>
 (1)..(20)
 ₹ <223> A11 P=S
= <223> N= G-clamp modification
• |==
   <400> 44
   atgcattntg cccccaagga
                                                                      20
   <210> 45
   <211> 20
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
  <221> misc_feature <222> (1)..(20)
   <223> All P=S
   <220>
```

```
<221> misc_feature
          <222> (11)..(11)
<223> N= G-clamp modification
          <400> 45
                                                                                                                                                                                                                           20
          atgcattctg nccccaagga
          <210> 46
          <211> 20
          <212> DNA
          <213> Artificial Sequence
          <220>
          <223> Novel Sequence
          <220>
          <221> misc_feature
          <222> (1)..(20)
          <223> A11 P=S
          <220>
          <221> misc_feature
   [] <222> (12)..(12)
    <223> N= G-clamp modification
   ų.
   √ <400> 46
                                                                                                                                                                                                                           20
   🖺 atgcattctg cncccaagga
   T.
   √ <210> 47
   1 <211>
                              20
          <212> DNA

      $\frac{1}{2}$
      $\frac{1}{2}$<
   <u>|</u> <220>
   Novel Sequence
- 1 <220>
   <220>
           <221> misc_feature
           <222>
                              (13)...(13)
           <223> N= G-clamp modification
           <400> 47
                                                                                                                                                                                                                            20
           atgcattctg ccnccaagga
           <210> 48
           <211> 20
           <212> DNA
           <213> Artificial Sequence
           <220>
           <223> Novel Sequence
```

```
<220>
    <221> misc_feature
          (1)..(20)
    <222>
    <223> All P=S
    <220>
    <221> misc_feature
    <222> (14)...(14)
    <223> N= G-clamp modification
   <400> 48
   atgcattctg cccncaagga
                                                                         20
   <210> 49
   <211> 20
   <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
 [ <221> misc_feature
 (1)..(20)
   <223> All P=S
 J)
 ű
 <221> misc_feature
 TJ <222>
          (15)...(15)
 ₩ <223> N= G-clamp modification
 IJ
 <sup>‡</sup> <400> 49
 🕌 atgcattctg ccccnaagga
                                                                        20
 11
· 1 <210> 50
- 📳 <211>
         22
 <212> DNA
   <213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <400> 50
   ctagattcca cactctctcg tc
                                                                        22
   <210> 51
   <211> 20
   <212> DNA
<213> Artificial Sequence
   <220>
   <223> Novel Sequence
   <220>
   <221> misc_feature
   <222> (1)..(1)
   <223> N= G-clamp modification
```

	<400> ntagat	51 tcca cactctcgtc	20
	<210> <211> <212> <213>	20	
	<220> <223>	Novel Sequence	
	<222>	<pre>misc_feature (20)(20) N= G-clamp modification</pre>	
	<400> ctagat	52 tcca cactctcgtn	20
	<210><211><211><212><212><213>	20	
	<220> <223>	Novel Sequence -	
	<-222>	<pre>misc_feature (1)(1) N= G-clamp modification</pre>	
	<222>	misc_feature (20)(20) N= G-clamp modification	
	<400> ntagat	53 tcca cactctcgtn	20
	<210> <211> <212> <213>	19	
	<220> <223>	Novel Sequence	
	<222>	misc_feature (19)(19) N= phenoxazine	
	<400> tttttt	54 Ettt ttttttn	19

<210> 55 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> Novel Sequence <220> <221> misc_feature <222> (19)..(19) <223> N= G-clamp modification <400> 55 tttttttt ttttttn

19

The state of the s The House days of the latest to the latest t